



ILLUSTRATION 200 OF THE  
ENTRY AND EXECUTION  
OF A NEW ORDER

210 →

THROUGH SERVER  
SCREEN 210, A  
CLINICIAN ENTERS  
A NEW ORDER FOR  
THE DRUG VASOTEC.  
THIS ORDER IS ADDED  
TO THE PATIENT'S  
PROTOCOL.

Vasotec	
How much and when?	
2.5mg	Qd
2.5mg	BID
5mg	Qd
5mg	BID
10mg	Qd
10mg	BID
20mg	Qd
20mg	BID

220 →

CLIENT SCREEN 220  
REMINDS THE PATIENT  
AT THE APPROPRIATE  
TIMES TO TAKE THE  
DRUG IN ACCORDANCE  
WITH THE ORDER.

**Things to Do Now** Pg 1 of 1

- ☐ Take Vasotec
- ☐ Have you eaten?
- ☒ Exit this Menu

230 →

WHEN THE PATIENT  
HAS INDICATED A  
READINESS TO TAKE  
THE DRUG INDICATED  
IN SCREEN 220, CLIENT  
SCREEN 230  
PRESENTS THE EXACT  
DRUG, DOSE, FORM,  
AND METHOD OF  
ADMINISTRATION  
(ALONG WITH A  
PICTURE OF THE PILL  
FOR DRUGS WITHOUT  
GENERIC  
EQUIVALENTS).

**Take Vasotec**

Take one Vasotec 10mg tablet by mouth now.

Have you taken this medication?


- ☐ Yes
- ☐ No, instructed not to
- ☐ No, ran out of it
- ☐ No

FIG. 2

ILLUSTRATION 300 OF THE TRIGGERING AND PROCESSING OF AN ALERT


310 →

THROUGH CLIENT SCREEN 310, THE PORTABLE HEALTH ASSISTANT (IN ACCORDANCE WITH THE PATIENT'S PROTOCOL) REQUESTS THAT THE PATIENT INPUT HIS WEIGHT.



320 →

WHEN INFORMED OF THE PATIENT'S WEIGHT INCREASE, THE SERVER SOFTWARE ISSUES AN ALERT 170, WHICH IT DISPLAYS AT THE SERVER 120 THROUGH SERVER SCREEN 320.



330 →

THE SERVER SOFTWARE ALSO SENDS THE ALERT TO THE CLINICIAN BROWSER 130, WHICH DISPLAYS THE ALERT TO THE CLINICIAN THROUGH BROWSER SCREEN 330.






FIG. 3

ILLUSTRATION 400 OF  
CONDITIONAL LOGIC  
IN A PROTOCOL

THROUGH CLIENT  
SCREEN 410, THE  
PORTABLE HEALTH  
ASSISTANT 110 (IN  
ACCORDANCE WITH  
THE PATIENT'S  
PROTOCOL)  
REQUESTS THAT THE  
PATIENT RECORD HIS  
PULSE.



IF THE PULSE HAD  
BEEN HIGH ENOUGH,  
THE PROTOCOL  
WOULD HAVE  
INSTRUCTED THE  
PATIENT TO TAKE  
DIGOXIN. BECAUSE  
THE PULSE WAS  
BELOW A PREDEFINED  
THRESHOLD,  
HOWEVER, CLIENT  
SCREEN 420 TELLS  
THE PATIENT TO CALL  
HIS CLINICIAN.



THE SERVER  
SOFTWARE ALSO  
DETECTS THE LOW  
PULSE AND  
GENERATES AN  
ALERT 170, WHICH IS  
DISPLAYED TO THE  
CLINICIAN THROUGH  
BROWSER SCREEN  
430.





FIG. 4



THIS SET OF GRAPHS FOLLOWS THE PATIENT'S PROGRESS  
IN TIME VERSUS USE OF AN IMPORTANT MEDICATION.

FIG. 5

WELL.AT.HOME  
INTRODUCTORY SCREEN  
(MAIN MENU SCREEN)  
600




FIG. 6

ALARM SCREEN 700




FIG. 7




FIG. 8



THINGS TO DO NOW  
SCREEN 900




FIG. 9

TAKE ZOLOFT  
INSTRUCTION  
SCREEN 1000

well at home

### Take Zolofit

Take one Zolofit 100mg tablet  
by mouth now.  
Have you taken this medication?

☐ Yes

☐ No, instructed not to

☐ No, ran out of it

☐ No

☐ Go Back    Go Ahead ☐




FIG. 10

SCREEN 1100 SHOWING  
A SELECTED ANSWER TO  
A QUESTION ASSOCIATED  
WITH A TASK

well.at.home

### Take Zolofit

Take one Zolofit 100mg tablet  
by mouth now.  
Have you taken this medication?

☒ Yes

☐ No, instructed not to

☐ No, ran out of it

☐ No

☐ Go Back   Go Ahead ☐




FIG. 11

THINGS TO DO NOW  
SCREEN 1200 SHOWING  
A COMPLETED TASK  
WITH A CHECK MARK




FIG. 12

SYMPTOMS TO REPORT  
SCREEN 1300




FIG. 13




FIG. 14

SCHEDULE 1500

well.at.home

Schedule April 29, 1999 2:37 pm Pg 1 of 1

Time of Task	Task
8:00 AM	Take Axid
8:00 AM	Take Tamoxifen
8:00 AM	Take Zoloft
1:00 PM	Take Tamoxifen

Exit

FIG. 15

HEALTH STATUS  
MENU SCREEN 1600




FIG. 16



EXEMPLARY ORDER  
INFORMATION SCREEN  
1700

well.at.home

### Order Information

Order	Zoloft 100mg tablet Qd
Schedule	Morning
Start	04/07/1999
Stop	
Who	Rivera, Andres
Pillbox	


 Exit

FIG. 17

CARE TEAM  
MENU 1800




FIG. 18